

**TECHNICAL SPECIFICATION 410  
DUST CONTROL**

410.1 SCOPE OF WORK

This technical specification covers the furnishing of all labor, materials, testing, submittals, tools, and equipment necessary for daily cleanup and control of dust throughout the project area.

410.2 MATERIALS

Calcium chloride shall conform to Form 817, Section 9.42.02.

The Contractor may substitute by furnishing water for calcium chloride.

410.3 SUBMITTALS

The following submittals shall be submitted to the Engineer for review and approval prior to installation:

- Manufacturer's cut sheet or label from bag for calcium chloride

410.4 CONSTRUCTION METHODS

All work under this technical specification will be ordered by the Inspector or Engineer.

Construction methods shall conform to Form 817, Sections 9.39.03, 9.42.03, and 9.43.03. A broadcast spreader must be used to spread calcium chloride for dust control. Hand spreading will not be permitted.

410.5 MEASUREMENT

Measurement for these items will be based on a unit price for dust control as directed, and conforming to Form 817, Sections 9.39.04, 9.42.04, and 9.43.04.

410.6 PAYMENT

Payment for these items will be based on the contract unit prices, as indicated, including all labor, materials, testing, submittals, tools, and equipment necessary to complete the work as specified.

<b>PAY ITEM</b>	<b>PAY UNIT</b>
Sweeping for dust control	Hour
Water for dust control	M. Gal.
Calcium Chloride	Tons